

Mounting and Fasteners



CFS



CSP



C

DIN 603



FLN

DIN 6923



HXN

DIN 934



HXB

DIN 933




RF

DIN 7985



KOP

DIN 94



FW

DIN 125



SW

DIN 127



TP

DIN 6798



PW

DIN 9021



DIA



WN




BD



GD

Round Head Square Neck Bolt (C)



CODE	Thread Metric	Length L mm	KG 1 pc	pcs
C M6	M6	15	0.004	500
C M6 20	M6	20	0.005	500
C M8	M8	15	0.007	500
C M8 25	M8	25	0.012	500

CODE	Thread Metric	Length L mm	KG 1 pc	pcs
C M6	M6	15	0.004	500
C M6 20	M6	20	0.005	500
C M8	M8	15	0.007	500
C M8 25	M8	25	0.013	500

DIN 6923 Flanged Nut (FLN)



CODE	Thread Metric	KG 1 pc	pcs
FLN M6	M6	0.003	500
FLN M8	M8	0.006	500
FLN M10	M10	0.014	500
FLN M12	M12	0.030	500

CODE	Thread Metric	KG 1 pc	pcs
FLN M6	M6	0.003	500
FLN M8	M8	0.006	500
FLN M10	M10	0.015	500
FLN M12	M12	0.032	500

DIN 934 Hex Nut (HXN)



CODE	Thread Metric	KG 1 pc	pcs
HXN M6	M6	0.002	500
HXN M8	M8	0.004	500
HXN M10	M10	0.010	500
HXN M12	M12	0.020	500





CODE	Thread Metric	KG 1 pc	pcs
HXN M6	M6	0.002	500
HXN M8	M8	0.004	500
HXN M10	M10	0.011	500
HXN M12	M12	0.021	500

DIN 125 Flat Washer (FW)



CODE	Thread Metric	KG 1 pc	pcs
FW M6	M6	0.001	500
FW M8	M8	0.002	500
FW M10	M10	0.004	500
FW M12	M12	0.008	500

CODE	Thread Metric	KG 1 pc	pcs
FW M6	M6	0.001	500
FW M8	M8	0.002	500
FW M10	M10	0.004	500
FW M12	M12	0.008	500



Mounting and Fasteners

DIN 933 Hex Bolt (HXB)



HXB M6					AC M6				
CODE	Thread Metric	Length L mm	kg 1 pc	pcs	CODE	Thread Metric	Length L mm	kg 1 pc	pcs
HXB M6 20	M6	20	0.006	250	HXB M6 20	M6	20	0.006	250
HXB M6 25	M6	25	0.007	250	HXB M6 25	M6	25	0.007	250
HXB M6 30	M6	30	0.008	200	HXB M6 30	M6	30	0.008	200
HXB M6 35	M6	35	0.009	200	HXB M6 35	M6	35	0.009	200
HXB M6 40	M6	40	0.010	200	HXB M6 40	M6	40	0.010	200
M8					M8				
CODE	Thread Metric	Length L mm	kg 1 pc	pcs	CODE	Thread Metric	Length L mm	kg 1 pc	pcs
HXB M8 20	M8	20	0.012	100	HXB M8 20	M8	20	0.012	100
HXB M8 25	M8	25	0.013	100	HXB M8 25	M8	25	0.013	100
HXB M8 30	M8	30	0.014	100	HXB M8 30	M8	30	0.014	100
HXB M8 35	M8	35	0.016	100	HXB M8 35	M8	35	0.016	100
HXB M8 40	M8	40	0.018	100	HXB M8 40	M8	40	0.018	100
HXB M8 50	M8	50	0.021	100	HXB M8 50	M8	50	0.021	100
HXB M8 60	M8	60	0.024	100	HXB M8 60	M8	60	0.024	100
HXB M8 70	M8	70	0.027	100	HXB M8 70	M8	70	0.027	100
M10					M10				
CODE	Thread Metric	Length L mm	kg 1 pc	pcs	CODE	Thread Metric	Length L mm	kg 1 pc	pcs
HXB M10 20	M10	20	0.020	100	HXB M10 20	M10	20	0.020	100
HXB M10 25	M10	25	0.023	100	HXB M10 25	M10	25	0.023	100
HXB M10 30	M10	30	0.025	100	HXB M10 30	M10	30	0.025	100
HXB M10 35	M10	35	0.028	100	HXB M10 35	M10	35	0.028	100
HXB M10 40	M10	40	0.033	100	HXB M10 40	M10	40	0.033	100
HXB M10 50	M10	50	0.038	100	HXB M10 50	M10	50	0.038	100
HXB M10 60	M10	60	0.043	100	HXB M10 60	M10	60	0.043	100
HXB M10 70	M10	70	0.048	100	HXB M10 70	M10	70	0.048	100
HXB M10 80	M10	80	0.053	100	HXB M10 80	M10	80	0.053	100
HXB M10 90	M10	90	0.058	100	HXB M10 90	M10	90	0.058	100
M12					M12				
CODE	Thread Metric	Length L mm	kg 1 pc	pcs	CODE	Thread Metric	Length L mm	kg 1 pc	pcs
HXB M12 25	M12	25	0.031	50	HXB M12 25	M12	25	0.031	50
HXB M12 30	M12	30	0.035	50	HXB M12 30	M12	30	0.035	50
HXB M12 35	M12	35	0.039	50	HXB M12 35	M12	35	0.039	50
HXB M12 40	M12	40	0.043	50	HXB M12 40	M12	40	0.043	50
HXB M12 50	M12	50	0.051	50	HXB M12 50	M12	50	0.051	50
HXB M12 60	M12	60	0.060	50	HXB M12 60	M12	60	0.060	50
HXB M12 70	M12	70	0.068	50	HXB M12 70	M12	70	0.068	50
HXB M12 80	M12	80	0.076	50	HXB M12 80	M12	80	0.076	50
HXB M12 90	M12	90	0.084	50	HXB M12 90	M12	90	0.084	50

DIN 7985 Roofing Bolt (RF)



RF				
CODE	Thread Metric	Length L mm	kg 1 pc	pcs
RF M6 40	M6	40	0.010	100
RF M8 40	M8	40	0.020	100
RF M10 40	M10	40	0.030	100


DIN 94 Splinte Pins 8x8 (KOP)




KOP				
CODE	Thread Metric	Length L mm	kg 1 pc	pcs
KOP M6	M6	70	0.014	100
KOP M8	M8	90	0.030	100

STRUTFAST®


HXB



RF



KOP




These illustration images are just for reference, actual product may differ.

www.strutfast.co.uk

Mounting and Fasteners

Round Head Square Neck Bolt With Flanged Nut (CFS)



CFS				
CODE	Thread Metric	Length L mm	kg 1 pc	pcs
CFS M6	M6	15	0.007	500
CFS M6	M6	20	0.008	500
CFS M8	M8	15	0.013	500

CFS				
CODE	Thread Metric	Length L mm	kg 1 pc	pcs
CFS M6	M6	15	0.007	500
CFS M6	M6	20	0.008	500
CFS M8	M8	15	0.013	500

Round Head Square Neck Bolt, Hex Nut, Washer (CSP)



CSP				
CODE	Thread Metric	Length L mm	kg 1 pc	pcs
CSP M6	M6	15	0.007	500
CSP M8	M8	15	0.013	500

CSP				
CODE	Thread Metric	Length L mm	kg 1 pc	pcs
CSP M6	M6	15	0.007	500
CSP M8	M8	15	0.013	500

DIN 127 Spring Washers (SW)




SW			
CODE	Thread Metric	kg 1 pc	pcs
SW M6	M6	0.001	500
SW M8	M8	0.002	500
SW M10	M10	0.004	500
SW M12	M12	0.008	500

DIN 6798 Serrated Lock Washers (TP)



TP			
CODE	Thread Metric	kg 1 pc	pcs
TP M6	M6	0.001	500
TP M8	M8	0.002	500
TP M10	M10	0.004	500
TP M12	M12	0.008	500

DIN 9021 Penny Washers (PW)




PW				
CODE	Thread Metric	D mm	kg 1 pc	pcs
PW M6	M6	18	0.002	500
PW M8	M8	24	0.004	500
PW M10	M10	30	0.006	500
PW M12	M12	37	0.012	500

These illustration images are just for reference, actual product may differ.


www.strutfast.co.uk

STRUTFAST®


CFS




CSP




SW



TP




PW




Mounting and Fasteners

Drop in Anchor (CD)




CD								
CODE	Thread Metric	Length L mm	Height H mm	Out Diameter D mm	Max Tensile Load kN	Tightening Torque Nm	⚠️ 1 pc	📦 100
CD M6	M6	20	20	7.4	1.00	5	0.006	100
CD M8	M8	27	30	9.4	1.80	10	0.009	100
CD M10	M10	40	40	11.6	3.70	20	0.016	50
CD M12	M12	47	50	15.3	5.70	40	0.040	50

Draw in Anchor (SD)




SD								
CODE	Thread Metric	Length L mm	Height H mm	Out Diameter D mm	Safe Tensile Load kN	Tightening Torque Nm	⚠️ 1 pc	📦 100
SD M6	M6	45	50	10	0.75	22	0.010	100
SD M8	M8	50	60	12.5	3.50	60	0.014	100
SD M10	M10	55	65	15.5	5.00	78	0.023	50
SD M12	M12	65	75	18.5	7.50	115	0.040	50

Sleeve Anchor Pipe Type (BD)



BD								
CODE	Thread Metric	Length L mm	Height H mm	Out Diameter D mm	Safe Tensile Load kN	Tightening Torque Nm	⚠️ 1 pc	📦 100
BD M6 60	M6	60	70	10	9.00	45	0.036	100
BD M10 85	M10	85	90	12	9.00	45	0.065	100
BD M10 110	M10	110	120	12	11.00	65	0.086	110
BD M12 90	M12	90	100	16	11.00	65	0.110	100
BD M12 110	M12	110	120	16	11.00	90	0.135	100


Sleeve Anchor (GD)




GD								
CODE	Thread Metric	Length L mm	Height H mm	Out Diameter D mm	Safe Tensile Load kN	Tightening Torque Nm	⚠️ 1 pc	📦 100
GD M6 45	M6	45	50	8	1.5	24	0.015	500
GD M6 55	M6	55	60	10	2.0	28	0.028	250
GD M8 75	M8	75	80	10	2.0	28	0.036	200
GD M10 70	M10	70	75	12	3.1	65	0.055	100
GD M10 85	M10	85	90	12	3.1	65	0.065	100
GD M10 110	M10	110	120	12	3.1	65	0.086	100
GD M12 90	M12	90	100	16	5.0	115	0.110	50
GD M12 110	M12	110	120	16	5.0	115	0.135	50

STRUTFAST®


CD




SD



BD



GD



Mounting and Fasteners

THREADED RODS, DIN 976-1 (TRS)



TRS603Z			
CODE	Thread Metric	Length L mm	⚠️ 1000 pc
TRS 603Z	M6	3000	177
TRS 603Z	M8	3000	319
TRS 103Z	M10	3000	500
TRS 123Z	M12	3000	725
TRS 143Z	M14	3000	970
TRS 163Z	M16	3000	1330
TRS 183Z	M18	3000	1850
TRS 203Z	M20	3000	2080
TRS 223Z	M22	3000	2540
TRS 243Z	M24	3000	3000


PRE CUT STUDS, DIN 976-1 (TRS)



TRS620Z		
CODE	Thread Metric	Length L mm
TRS620Z	M6	20mm - 1000mm
TRS820Z	M8	20mm - 1000mm
TRS1020Z	M10	20mm - 1000mm
TRS1220Z	M12	20mm - 1000mm

* Customized length also available to order

WEDGE NUTS (WN)




WN WEDGE NUTS			
CODE	Size	⚠️ 1 pc	📦 100
WN 06	M6	0.020kg	100
WN 08	M8	0.020kg	100
WN 10	M10	0.017kg	100
WN 12	M12	0.023kg	100

MWN MINI WEDGE NUTS			
CODE	Size	⚠️ 1 pc	📦 100
MWN 06	M6	0.012kg	100
MWN 08	M8	0.010kg	100
MWN 10	M10	0.008kg	100


MMWN MINI-MINI WEDGE NUTS			
CODE	Size	⚠️ 1 pc	📦 100
MMWN 06	M6	0.009kg	100
MMWN 08	M8	0.010kg	100

STRUTFAST®


TRS603Z



TRS620Z




WN




Mounting and Fasteners

STRUTFAST®

ROD CONNECTOR (RC)



RC				
CODE	Size	 1 pc		
RC 06	M6 X 18mm	0.018kg	100	
RC 08	M8 X 24mm	0.030kg	100	
RC 10	M10 X 30mm	0.052kg	100	
RC 12	M12 X 36mm	0.062kg	100	
RC 16	M16 X 48mm	0.093kg	100	
RC 24	M24 X 72mm	0.004kg	100	




These illustration images are just for reference, actual product may differ.

Channel Nuts


STRUTFAST®

CHANNEL NUT WITHOUT SPRING (CNP)




CNP				
CODE	Thread Metric	Size (mm) x (T)	 1 pc	
CNP 6	M6	M6 X 6mm	0.026	100pcs
CNP 8	M8	M8 X 8mm	0.025	100pcs
CNP 10	M10	M10 X 8mm	0.032	100pcs
CNP 12	M12	M12 X 8mm	0.031	100pcs
CNP 12 A	M12A	M12 X 9mm	0.038	100pcs
CNP 16	M16	M16 X 12mm	0.095	100pcs

CHANNEL NUT SHORT SPRING (CNS)




CNS				
CODE	Thread Metric	Size (mm) x (T)	 1 pc	
CNS 6	M6	M6 X 6mm	0.026	100pcs
CNS 8	M8	M8 X 6mm	0.025	100pcs
CNS 10	M10	M10 X 8mm	0.032	100pcs
CNS 12	M12	M12 X 8mm	0.030	100pcs
CNS 12 A	M12A	M12 X 9mm	0.036	100pcs
CNS 16	M16	M16 X 12mm	0.098	100pcs

CHANNEL NUT LONG SPRING (CNL)




CNL				
CODE	Thread Metric	Size (mm) x (T)	 1 pc	
CNL 6	M6	M6 X 6mm	0.027	100pcs
CNL 8	M8	M8 X 6mm	0.026	100pcs
CNL 10	M10	M10 X 8mm	0.033	100pcs
CNL 12	M12	M12 X 8mm	0.031	100pcs
CNL 12 A	M12A	M12 X 9mm	0.038	100pcs
CNL 16	M16	M16 X 12mm	0.099	100pcs

These illustration images are just for reference, actual product may differ.




Channel Nuts

QUICK SLIDE NUT (QS)




QS					
CODE	Thread Metric	Size (mm) x (T)	1 pc	100 pcs	
QS 6	M6	M6 X 6mm	0.058kg	100pcs	
QS 8	M8	M8 X 6mm	0.058kg	100pcs	
QS 10	M10	M10 X 8mm	0.058kg	100pcs	
QS 12	M12	M12 X 8mm	0.058kg	100pcs	

CHANNEL NUT WITH TOP SPRING (CNT)



CNT					
CODE	Thread Metric	Size (mm) x (T)	1 pc	100 pcs	
CNT 6	M6	M6 X 6mm	0.0265kg	100pcs	
CNT 8	M8	M8 X 6mm	0.025kg	100pcs	
CNT 10	M10	M10 X 8mm	0.0325kg	100pcs	
CNT 12	M12	M12 X 8mm	0.0315kg	100pcs	

CHANNEL NUT CONE (CN)



CN				
CODE	Thread Metric	1 pc	100 pcs	
CN1/4"Z	1/4"-20	0.050kg	100pcs	


CHANNEL WING NUT (QSP)



QSP				
CODE	Thread Metric	1 pc	100 pcs	
QSP	M10	0.040kg	100pcs	


STRUTFAST®

QS




CNT

Ø M6 / M8 / M10 / M12




CN

Ø 1/4"-20



QSP


M10



These illustration images are just for reference, actual product may differ.

Channel Nuts

ROD STIFFENER (RS)




RS					
CODE	Thread Metric	Size (mm) x (T)	1 pc	100 pcs	
RS 10Z	M10	M10 X 8mm	0.106kg	100pcs	
RS 12Z	M12	M12 X 8mm	0.126kg	50pcs	

HAMMER HEAD BOLT WITH TOP SPRING (HHTS)



HHTS				
CODE	Thread Metric	Size (mm) x (T)	Lenth	
HHTS 625	M6	M6 X 6mm	25mm	
HHTS 630	M6	M6 X 6mm	30mm	
HHTS 635	M6	M6 X 6mm	35mm	
HHTS 640	M6	M6 X 6mm	40mm	
HHTS 650	M6	M6 X 6mm	50mm	
HHTS 825	M8	M8 X 6mm	25mm	
HHTS 830	M8	M8 X 6mm	30mm	
HHTS 835	M8	M8 X 6mm	35mm	
HHTS 840	M8	M8 X 6mm	40mm	
HHTS 850	M8	M8 X 6mm	50mm	
HHTS 1025	M10	M10 X 8mm	25mm	
HHTS 1030	M10	M10 X 8mm	30mm	
HHTS 1035	M10	M10 X 8mm	35mm	
HHTS 1040	M10	M10 X 8mm	40mm	
HHTS 1050	M10	M10 X 8mm	50mm	
HHTS 1060	M10	M10 X 8mm	60mm	

HAMMER HEAD BOLT WITH TOP SPRING & LIPPED WASHER (HHTSL)




HHTSL				
CODE	Thread Metric	Size (mm) x (T)	Lenth	
HHTSL 625	M6	M6 X 6mm	25mm	
HHTSL 630	M6	M6 X 6mm	30mm	
HHTSL 635	M6	M6 X 6mm	35mm	
HHTSL 640	M6	M6 X 6mm	40mm	
HHTSL 650	M6	M6 X 6mm	50mm	
HHTSL 825	M8	M8 X 6mm	25mm	
HHTSL 830	M8	M8 X 6mm	30mm	
HHTSL 835	M8	M8 X 6mm	35mm	
HHTSL 840	M8	M8 X 6mm	40mm	
HHTSL 850	M8	M8 X 6mm	50mm	
HHTSL 1025	M10	M10 X 8mm	25mm	
HHTSL 1030	M10	M10 X 8mm	30mm	
HHTSL 1035	M10	M10 X 8mm	35mm	
HHTSL 1040	M10	M10 X 8mm	40mm	
HHTSL 1050	M10	M10 X 8mm	50mm	
HHTSL 1060	M10	M10 X 8mm	60mm	


These illustration images are just for reference, actual product may differ.

STRUTFAST®

RS



HHTS



HHTSL

